



More Parts


Making Us Easier Afford it!

- 
- PVA Bag & Film
 - Carbon Fiber Stockinette
 - Glass Fiber Stockinette
 - Easy Donning Sleeve
 - Thigh Sling Strap
 - Orthotic Joint
 - Silicone & Foam Prosthesis
 - STANLEY, Surform Blades
 - Grinding & Sanding Tool
 - Polishing Tool
 - Measuring Tool
 - Casting & Molding Tool
 - Vacuum Forming Tool
 - Cutting Tool
 - Equipment & Machine
 - Accessories

Let's START 2026!

After our hard working and learning, we have been finding our mission at articles for the disabled, as wheelchair cushion, prosthetic part, orthopedic part, handle control device was to assist in "Making Us Easier Afford it!", it lets us work better to provide economical, warranty, superior parts for you. Let more people, afford our parts and let us have a new chance to enjoy life, nature and social activities.


COMMON USED

PVA Bag for Socket Making	Part No.	Part SPEC.	Unit Weight
	PB60-13-5 PB70-19-5 PB70-27-5 PB100-19-5 PB100-26-5 PB100-30-5 PB100-50-5	T: 0.80 mm	10 pcs/Package

PVA Film for Socket Making	Part No.	Part SPEC.	Unit Weight
	PF-T8M050 PF-T8M100	W: 1.00 m T: 0.80 mm	50.00 m/roll 100.00 m/roll

Carbon Fiber Stockinette	Part No.	Part SPEC.	Unit Weight
	CFS-BK08-120 CFS-AK15-200	W: 8.00 mm W: 15.00 mm	120.00/GSM 200.00/SGM

Carbon Fiber Cloth	Part No.	Part SPEC.	Unit Weight
	CFC-100CM	100.00 cm	200.00/GSM

EVA Foam Sheet	Part No.	Part SPEC.	Thickness
	EFS-T2-100150 EFS-T3-100150 EFS-T4-100150 EFS-T5-100150 EFS-T6-100150	100.00x150.00 cm (10 Sheets/Package)	T2: 2.00 mm T3: 3.00 mm T4: 4.00 mm T5: 5.00 mm T6: 6.00 mm

Remark: T=Thickness,W=Width, L=Length, H=Height.

COMMON USED

Glass Fiber Stockinette	Part No.	Part SPEC.	Unit Weight
	GFS-W09CM GFS-W13CM GFS-W18CM	9.00 cm 13.00 cm 18.00 cm	2.00 kg/Roll

Polyester Fiber Stockinette	Part No.	Part SPEC.	Unit Weight
	PFS-W05CM PFS-W08CM PFS-W10CM PFS-W12CM PFS-W15CM PFS-W20CM PFS-W25CM PFS-W30CM	5.00 cm 8.00 cm 10.00 cm 12.00 cm 15.00 cm 20.00 cm 25.00 cm 30.00 cm	1.00 kg/Roll <u>2.00 kg/Roll</u> (25.00/30.00 cm)

Nylon Fiber Stockinette	Part No.	Part SPEC.	Unit Weight
	NFS-W06CM NFS-W09CM NFS-W12CM	6.00 cm 9.00 cm 12.00 cm	0.30 kg/Roll 0.50 kg/Roll 1.00 kg/Roll

Cotton Fiber Stockinette	Part No.	Part SPEC.	Unit Weight
	CFS-W05CM CFS-W08CM CFS-W10CM CFS-W12CM CFS-W15CM CFS-W20CM CFS-W25CM CFS-W30CM	5.00 cm 8.00 cm 10.00 cm 12.00 cm 15.00 cm 20.00 cm 25.00 cm 30.00 cm	1.00 kg/Roll <u>2.00 kg/Roll</u> (25.00/30.00 cm)

Plaster Bandage	Part No.	Part SPEC.	Unit Weight
	PB-L150	150.00 mm	294.00 g

Remark: T=Thickness,W=Width, L=Length, H=Height.

COMMON USED

Acrylic Laminating Resin	Part No.	Part SPEC.	Unit Weight
	ALR-3000G	3000.00 g	3.28 kg

Fast Curing Agent	Part No.	Part SPEC.	Unit Weight
	FCA-100G	100.00 g	0.12 kg

Color Paste	Part No.	Part SPEC.	Unit Weight
	CP-1000G	Color: Light Skin	1023.00 g

PP Plastic Sheet (MADE IN GERMAN)	Part No.	Part SPEC.	Unit Weight
	PPS-T3100200R	1000x2000xT3 mm	5.60 kg
	PPS-T4100200R	1000x2000xT4 mm	7.40 kg
	PPS-T5100200R	1000x2000xT5 mm	9.30 kg
	PPS-T3150300R	1500x3000xT3 mm	12.50 kg
	PPS-T4150300R	1500x3000xT4 mm	16.70 kg
	PPS-T5150300R	1500x3000xT5 mm	20.80 kg

PP Plastic Sheet (MADE IN GERMAN)	Part No.	Part SPEC.	Unit Weight
	PPS-T3100200B	1000x2000xT3 mm	5.50 kg
	PPS-T4100200B	1000x2000xT4 mm	7.30 kg
	PPS-T5100200B	1000x2000xT5 mm	9.20 kg
	PPS-T3150300B	1500x3000xT3 mm	12.30 kg
	PPS-T4150300B	1500x3000xT4 mm	16.50 kg
	PPS-T5150300B	1500x3000xT5 mm	20.50 kg

Remark: T=Thickness,W=Width, L=Length, H=Height.

COMMON USED

Foam Foot Impression Box	Part No.	Part SPEC.	Unit Weight
	FIB-T83415	34x15x8.00 cm	212.00 g

PVA Film Adhesive Tape	Part No.	Part SPEC.	Unit Weight
	PFT-S2250 PFT-D2250	W: 20.00 mm L: 250.00 cm T: 0.10 mm	121.00 g 160.00 g

Easy Donning Sleeve	Part No.	Part Length	Width
	EDS-1224 EDS-1326 EDS-1428 EDS-1530 EDS-1632	88.00 cm 91.00 cm 94.00 cm 97.00 cm 97.00 cm	12.00/24.00 cm 13.00/26.00 cm 14.00/28.00 cm 15.00/30.00 cm 16.00/32.00 cm

Thigh Sling Strap	Part No.	Part SPEC.	Unit Weight
	TSS-01N TSS-02N TSS-03N TSS-04N TSS-05N TSS-06N	01N: 32~38.00 cm 02N: 34~39.00 cm 03N: 36~40.00 cm 04N: 36~43.00 cm 05N: 37~45.00 cm 06N: 40~46.00 cm	01N: 221.00 g 02N: 238.00 g 03N: 244.00 g 04N: 264.00 g 05N: 279.00 g 06N: 303.00 g

/	Part No.	Part SPEC.	Unit Weight
/	/	/	/

Remark: T=Thickness,W=Width, L=Length, H=Height.

ORTHOTIC JOINT

Orthotic Joint	Part No.	Part Specification
	OJ-01S-T419850-1250 OJ-01A-T619850-745	T4.00xW19.00xL850.00mm / Stainless T6.00xW19.00xL850.00mm / Aluminum

Orthotic Joint	Part No.	Part Specification
	OJ-02S-T419850-1250 OJ-02A-T619850-820	T4.00xW19.00xL850.00mm / Stainless T6.00xW19.00xL850.00mm / Aluminum

Orthotic Joint with Ring Lock	Part No.	Part Specification
	OJRL-01S-T313550-460 OJRL-01S-T414850-840 OJRL-01S-T416800-1025 OJRL-01S-T419850-1340 OJRL-01A-T514550-420 OJRL-01A-T514750-450 OJRL-01A-T416800-555 OJRL-01A-T419850-825	T3.00xW13.00xL550.00mm / Stainless T4.00xW14.00xL850.00mm / Stainless T4.00xW16.00xL800.00mm / Stainless T4.00xW19.00xL850.00mm / Stainless T5.00xW14.00xL550.00mm / Aluminum T5.00xW14.00xL750.00mm / Aluminum T4.00xW16.00xL800.00mm / Aluminum T4.00xW19.00xL850.00mm / Aluminum

Orthotic Joint with Ring Lock	Part No.	Part Specification
	OJRL-02S-T419850-1420 OJRL-02A-T619850-940 OJRL-0SA-T514600-420	T4.00xW19.00xL850.00mm / Stainless T6.00xW19.00xL850.00mm / Aluminum T5.00xW14.00xL600.00mm / Aluminum

Orthotic Joint with Ring Lock	Part No.	Part Specification
	OJRL-03S-T419850-1450 OJRL-03A-T619850-960	T4.00xW19.00xL850.00mm / Stainless T6.00xW19.00xL850.00mm / Aluminum

ORTHOTIC JOINT

Orthotic Joint with Wire Spring Lock	Part No.	Part Specification
	○JWSL-01S-T416850-1025 ○JWSL-01S-T420850-1425 ○JWSL-01A-T619850-820 ○JWSL-01T-T416850-550 ○JWSL-01T-T520850-900	T4.00xW16.00xL850.00mm / Stainless T4.00xW20.00xL850.00mm / Stainless T6.00xW19.00xL850.00mm / Aluminum T4.00xW16.00xL850.00mm / Titanium T5.00xW20.00xL850.00mm / Titanium

Orthotic Joint with Wire Spring Lock	Part No.	Part Specification
	○JWSL-02S-T419850-1250 ○JWSL-02A-T619850-820	T4.00xW19.00xL850.00mm / Stainless T6.00xW19.00xL850.00mm / Aluminum

Orthotic Joint with Wire Spring Lock	Part No.	Part Specification
	○JWSL-03S-T420850-1280 ○JWSL-03A-T619850-730	T4.00xW20.00xL850.00mm / Stainless T6.00xW19.00xL850.00mm / Aluminum

Orthotic Joint with Wire Spring Lock	Part No.	Part Specification
	○JWSL-04S-T420850-1300 ○JWSL-04A-T619850-750	T4.00xW20.00xL850.00mm / Stainless T6.00xW19.00xL850.00mm / Aluminum

Orthotic Joint with Hinged Lock	Part No.	Part Specification
	○JHL-01A-T331560-280	T3.00xW31.00xL560.00mm / Aluminum

ORTHOTIC JOINT

Orthotic Joint with Hinged Lock	Part No.	Part Specification
	OJHL-02S-13160-105 OJHL-02S-17280-185	T2.50xW13.00xL160.00mm / Stainless T2.50xW17.00xL280.00mm / Stainless

Orthotic Joint with Hinged Lock	Part No.	Part Specification
	OJHL-03S-T312160-220 OJHL-03S-T414180-275 OJHL-03S-T417220-405	T3.00xW12.00xL160.00mm / Stainless T4.00xW14.00xL180.00mm / Stainless T4.00xW17.00xL260.00mm / Stainless

Orthotic Ankle Joint	Part No.	Part Specification
	OAJ-01P-1232-20 OAJ-01P-1339-25 OAJ-01P-1545-30	1 Set / Plastic

Orthotic Ankle Joint	Part No.	Part Specification
	OAJ-02S-31-10-15 OAJ-02S-60-13-40 OAJ-02S-80-19-65	1 Pair / Stainless

Orthotic Ankle Joint	Part No.	Part Specification
	OAJ-03S-53-16-85 OAJ-03S-53-19-100	1 Pair / Stainless

ORTHOTIC JOINT

Orthotic Angle Joint	Part No.	Part Specification
	OAJ-04S-60-13-120 OAJ-04S-80-13-190	1 Pair / Stainless

Orthotic Angle Joint	Part No.	Part Specification
	OAJ-05S-60-13-110 OAJ-05S-80-19-320	1 Pair / Stainless

Orthotic Angle Joint	Part No.	Part Specification
	OAJ-06S-60-13-135 OAJ-06S-80-19-250	1 Pair / Stainless

Connecting Plate	Part No.	Part Specification
	CP-01S-T2P51360-45 CP-01S-T3P01980-100	T2.50xW13.00xL60.00mm / Stainless T3.00xW19.00xL80.00mm / Stainless

Stainless Connecting Plate	Part No.	Part Specification
	CP-02S-T2P5180-95 CP-02S-T2P5220-100 CP-02S-T2P5260-110 CP-02S-T3P0280-185 CP-02S-T3P0300-195 CP-02S-T3P0340-205 CP-02S-T3P0360-215 CP-02S-T3P0380-225	T2.50x180.00(Hole to Hole)xØ8.00 mm T2.50x220.00(Hole to Hole)xØ8.00 mm T2.50x260.00(Hole to Hole)xØ8.00 mm T3.00x280.00(Hole to Hole)xØ8.00 mm T3.00x300.00(Hole to Hole)xØ8.00 mm T3.00x340.00(Hole to Hole)xØ8.00 mm T3.00x360.00(Hole to Hole)xØ8.00 mm T3.00x380.00(Hole to Hole)xØ8.00 mm

ORTHOTIC JOINT

Stainless Connecting Plate	Part No.	Part Specification
	CP-03S-T2P5180-100	T2.50x180.00(Hole to Hole)xØ8.00 mm
	CP-03S-T2P5220-110	T2.50x220.00(Hole to Hole)xØ8.00 mm
	CP-03S-T2P5260-120	T2.50x260.00(Hole to Hole)xØ8.00 mm
	CP-03S-T3P0280-210	T3.00x280.00(Hole to Hole)xØ8.00 mm
	CP-03S-T3P0300-220	T3.00x300.00(Hole to Hole)xØ8.00 mm
	CP-03S-T3P0340-230	T3.00x340.00(Hole to Hole)xØ8.00 mm
	CP-03S-T3P0360-240	T3.00x360.00(Hole to Hole)xØ8.00 mm
	CP-03S-T3P0380- 250	T3.00x380.00(Hole to Hole)xØ8.00 mm

Stainless Connecting Plate	Part No.	Part Specification
	CP-04S-T2P5180-100	T2.50x180.00(Hole to Hole)xØ8.00 mm
	CP-04S-T2P5220-105	T2.50x220.00(Hole to Hole)xØ8.00 mm
	CP-04S-T2P5260-110	T2.50x260.00(Hole to Hole)xØ8.00 mm
	CP-04S-T3P0280-210	T3.00x280.00(Hole to Hole)xØ8.00 mm
	CP-04S-T3P0300-220	T3.00x300.00(Hole to Hole)xØ8.00 mm
	CP-04S-T3P0340-230	T3.00x340.00(Hole to Hole)xØ8.00 mm
	CP-04S-T3P0360-240	T3.00x360.00(Hole to Hole)xØ8.00 mm
	CP-043S-T3P0380-250	T3.00x380.00(Hole to Hole)xØ8.00 mm

Adjustable Connecting Rod	Part No.	Part Specification
	ACR-080S-75	170~220.00mm / Stainless
	ACR-100S-80	190~240.00mm / Stainless
	ACR-130S-90	220~270.00mm / Stainless
	ACR-160S-100	250~300.00mm / Stainless

Dennis Brown Shoes with Dynamic Splint	Part No.	Part Specification
	DBS-L095-07/DBS-L105-08	L095-07 / L105-08: 95.00 / 105.00 mm
	DBS-L115-09/DBS-L125-10	L115-09 / L125-10: 115.00 / 125.00 mm
	DBS-L135-11/DBS-L145-12	L135-11 / L145-12: 135.00 / 145.00 mm
	DBS-L160-13/DBS-L175-14	L160-12 / L175-14: 165.00 / 175.00 mm

Mechanical Dynamic Finger	Part No.	Part Specification
	MDF-C05A	Aluminum Alloy
		Customized Based on Plaster Mockup Taking Time: 50~60 Days

SILICONE PROSTHESIS

Silicone Hand Prosthesis	Part No.	Part SPEC.	Guaranteed
	ZSHP-H01-W01 ZSHP-H01-W02 ZSHP-H01-W03 ZSHP-H01-M01 ZSHP-H01-M02 ZSHP-H01-M03	M: Man's Hand W: Woman's Hand 01: Small Size 02: Middle Size 03: Large Size	6 Months

Silicone Hand Prosthesis	Part No.	Part SPEC.	Guaranteed
	ZSHP-S02-W01 ZSHP-S02-W02 ZSHP-S02-W03 ZSHP-S02-M01 ZSHP-S02-M02 ZSHP-S02-M03	S: Short Type M: Man's Hand W: Woman's Hand 01: Small Size 02: Middle Size 03: Large Size	6 Months

Silicone Hand Prosthesis	Part No.	Part SPEC.	Guaranteed
	ZSHP-L03-W01 ZSHP-L03-W02 ZSHP-L03-W03 ZSHP-L03-M01 ZSHP-L03-M02 ZSHP-L03-M03	L: Long Type M: Man's Hand W: Woman's Hand 01: Small Size 02: Middle Size 03: Large Size	6 Months

Silicone Foot Prosthesis	Part No.	Part SPEC.	Guaranteed
	ZSFP-F04-22CM ZSFP-F04-23CM ZSFP-F04-24CM ZSFP-F04-25CM ZSFP-F04-26CM ZSFP-F04-27CM ZSFP-F04-28CM ZSFP-F04-29CM	22CM: 22.00 cm 23CM: 23.00 cm 24CM: 24.00 cm 25CM: 25.00 cm 26CM: 26.00 cm 27CM: 27.00 cm 28CM: 28.00 cm 29CM: 29.00 cm	6 Months

Silicone Finger Prosthesis	Part No.	Part SPEC.	Guaranteed
	SFP-04TF SFP-04IF SFP-04MF SFP-04RF SFP-04LF	Silicone Gel (TF: Thumb Finger) (IF: Index Finger) (MF: Middle Finger) (RF: Ring Finger) (LF: Little Finger)	6 Months

FOAM PROSTHESIS

AK EVA Foam Leg	Part No.	Lower SPEC.	Upper SPEC.
	EFL-70-P EFL-80-S EFL-83-M EFL-85-L	Ø30~32.00 cm Ø33~34.00 cm Ø35~36.00 cm Ø37~38.00 cm	Ø46.00 cm Ø54.00 cm Ø55.00 cm Ø56.00 cm

AK EVA Foam Liner	Part No.	Lower SPEC.	Upper SPEC.
	ESFL-AK3817 ESFL-AK5017 ESFL-AK5219 ESFL-AK5221	Ø13.00 cm Ø12.00 cm Ø12.00 cm Ø11.00 cm	Ø17.00 cm Ø17.00 cm Ø19.00 cm Ø21.00 cm

BK EVA Foam Liner	Part No.	Lower SPEC.	Upper SPEC.
	ESFL-BK4013 ESFL-BK4315 ESFL-BK4517	Ø8.00 cm Ø8.50 cm Ø9.00 cm	Ø13.00 cm Ø15.00 cm Ø17.00 cm

BK EVA Foam Leg	Part No.	Part SPEC.	Unit Weight
	EFL-S4334-S EFL-S4336-M EFL-S4338-L	Ø25.00 cm Ø26.00 cm Ø27.00 cm	Ø33~34.00 cm Ø35~36.00 cm Ø37~38.00 cm

AK Sponge Foam Leg	Part No.	Lower SPEC.	Upper SPEC.
	SFL01-H85-S SFL01-H85-M SFL01-H85-L	Ø36~37.00 cm Ø39~40.00 cm Ø43~44.00 cm	Ø67~68.00 cm Ø67~68.00 cm Ø72~73.00 cm

Remark: T=Thickness,U=Upper, L=Lower, H=Height and D=Diameter.

FOAM PROSTHESIS

AK Sponge Foam Leg Mockup	Part No.	Lower SPEC.	Upper SPEC.
	SFL02-H85	Ø39~40.00 cm	Ø67~68.00 cm

AK Sponge Foam Leg Mockup	Part No.	Lower SPEC.	Upper SPEC.
	SFL03-H85	Ø40.00 cm	Ø70.00 cm

AK Sponge Foam Leg Mockup	Part No.	Lower SPEC.	Upper SPEC.
	SFL04-H85	13.00x13.00 cm	22.00x22.00 cm

BK Sponge Foam Leg Mockup	Part No.	Lower SPEC.	Upper SPEC.
	SFBK01-H43	Ø42.00 cm	Ø50.00 cm

BK Sponge Foam Leg Mockup	Part No.	Lower SPEC.	Upper SPEC.
	SFBK02-H43	13.00x13.00 cm	16.00x16.00 cm

Remark: T=Thickness,U=Upper, L=Lower, H=Height and D=Diameter.

TOOL PART

STANLEY, Surform Flat Blade	Part No.	Part SPEC.	Unit Weight
	SB-21-293-5-11US	255.00x42.00 mm	38.00 g

STANLEY, Surform Half Round Blade	Part No.	Part SPEC.	Unit Weight
	SB-21-299-5-11US	255.00x40.00 mm	40.00 g

Metal Body Surform Frame	Part No.	Part SPEC.	Unit Weight
	MSF-21-122-5-11CN	300.00 mm	332.00 g

STANLEY, Surform Round Blade	Part No.	Part SPEC.	Unit Weight
	SB-21-291-5-11US	Ø15.00x255.00 mm	34.00 g

Plastic Body Surform Frame	Part No.	Part SPEC.	Unit Weight
	PSF-21-103-5-11CN	270.00 mm	128.00 g

TOOL PART

Ball Grinding Head	Part No.	Part SPEC.	Unit Weight
	BGH-M16-3650	Ø36.00x56.00 mm (Thread: M16.00 mm)	255.00 g

Ball Grinding Head	Part No.	Part SPEC.	Unit Weight
	BGH-M16-5280	Ø52.00x80.00 mm (Thread: M16.00 mm)	752.00 g

Ball Grinding Head	Part No.	Part SPEC.	Unit Weight
	BGH-M16-52100	Ø52.00x100.00 mm (Thread: M16.00 mm)	1046.00 g

Cone Grinding Head	Part No.	Part SPEC.	Unit Weight
	CGH-M16-3785	Ø37.00x85.00 mm (Thread: M16.00 mm)	325.00 g

Cone Grinding Head	Part No.	Part SPEC.	Unit Weight
	CGH-M16-46100	Ø46.00x100.00 mm (Thread: M16.00 mm)	735.00 g

TOOL PART

Cone Grinding Head	Part No.	Part SPEC.	Unit Weight
	CGH-M16-44140	Ø44.00x140.00 mm (Thread: M16.00 mm)	1160.00 g

Cone Sanding Sleeve	Part No.	Part SPEC.	Unit Weight
	CSS-28-35-66	Ø28.00~35.00 mm Length: 66.00 mm Grit: 40/80/100	6.00 g

Cone Sanding Spindle Drum Head	Part No.	Part SPEC.	Unit Weight
	CSDH-M16-34117	Ø27.00x117.00 mm Ø34.00x117.00 mm (Thread: M16.00 mm)	161.00 g

Round Sanding Sleeve	Part No.	Part SPEC.	Unit Weight
	RSS-25-50	Ø25.00x50.00 mm Grit: 40/80/100	6.00 g

Round Sanding Spindle Drum Head	Part No.	Part SPEC.	Unit Weight
	RSDH-M16-2595	Ø25.00x95.00 mm (Thread: M16.00 mm)	80.00 g

TOOL PART

Round Sanding Sleeve	Part No.	Part SPEC.	Unit Weight
	RSS-45-64	Ø45.00x64.00 mm Grit: 40/80/100	18.00 g

Round Sanding Spindle Drum Head	Part No.	Part SPEC.	Unit Weight
	RSDH-M16-44105	Ø44.00x105.00 mm (Thread: M16.00 mm)	223.00 g

Round Sanding Sleeve (Without PU Foam Drum)	Part No.	Part SPEC.	Unit Weight
	RSS-75-200	Ø75.00x200.00 mm Grit: 40/80/100	58.00 g

Round Sanding Foam Drum	Part No.	Part SPEC.	Unit Weight
	RSFD-3073-200	Ø30.00/Ø73.00 mm Length: 200.00 mm	291.00 g

Round Sanding Sleeve (Without Spindle Drum)	Part No.	Part SPEC.	Unit Weight
	RSS-87-50	Ø87.00x50.00 mm Grit: 40/60/80/10	18.00 g

TOOL PART

Round Sanding Drum	Part No.	Part SPEC.	Unit Weight
	RSD-2585-50	Ø25.00/85.00 mm Length: 50.00 mm	315.00 g

Sanding Spindle Drum Head	Part No.	Part SPEC.	Unit Weight
	RSDH-60-140	Ø60.00x140.00 mm (Thread: M16.00 mm)	956.00 g

Round Sanding Sleeve	Part No.	Part SPEC.	Unit Weight
	RSS-60-120	Ø60.00x120.00 mm Grit: 80	20.00 g

Sanding Sponge Drum	Part No.	Part SPEC.	Unit Weight
	SD-25-75-150 SD-25-75-230	Ø75.00x150.00 mm Ø75.00x230.00 mm	305.00 g 468.00 g

Silicone Polishing Head	Part No.	Part SPEC.	Unit Weight
	SPH-42-125	Ø42.00x125.00 mm (Thread: M16.00 mm)	222.00 g

TOOL PART

Silicone Polishing Head	Part No.	Part SPEC.	Unit Weight
	SPH-42-130	Ø42.00x130.00 mm (Thread: M16.00 mm)	195.00 g

Polishing Wheel	Part No.	Part SPEC.	Unit Weight
	PW-120-14	Ø120.00x14.00 mm	73.00 g

Polishing Wheel Extension Shaft	Part No.	Part SPEC.	Unit Weight
	WES-M16-24	Ø24.00 mm (Thread: M16.00 mm)	148.00 g

L-Shaped Hex Socket Wrench	Part No.	Part SPEC.	Unit Weight
	HSW-L09 HSW-L11 HSW-L17	9.00 mm 11.00 mm 17.00 mm	74.00 g 112.00 g 279.00 g

T-Handle Allen Wrench	Part No.	Part SPEC.	Unit Weight
	ST94-286 ST94-350	4.00 mm 8.00 mm	40.00 g 182.00 g

TOOL PART

Tube Cutter	Part No.	Part SPEC.	Unit Weight
	TC-0432 TC-0550	Ø4~32.00 mm Ø5~50.00 mm (C/Thic.: 3.00 mm)	344.00 g 484.00 g

Teflon Sheet for Oven Work	Part No.	Part SPEC.	Unit Weight
	TS-T0251M	Width:1000.00 mm Length: 1000.00 mm Thickness: 0.25 mm	210.00 g

Color Pencil for Marking	Part No.	Part SPEC.	Unit Weight
	CP-FC12R CP-FC12B	12PCS (Red) 12PCS (Blue)	73.00 g

Deburring Tool	Part No.	Part SPEC.	Unit Weight
	DT-28-122	Ø28.00x122.00 mm	33.00 g

Blades for Deburring Tool	Part No.	Part SPEC.	Unit Weight
	BT-BS1010	Ø3.20x47.00 mm	40.00 g 10 PCS/Package

TOOL PART

Plaster Cast Cutting Shears	Part No.	Part SPEC.	Unit Weight
	PCS-304-280	184.00 mm	72.00 g

Trimming Cutter	Part No.	Part SPEC.	Unit Weight
	TC-40-50	Ø5~38.00 mm	36.00 g

Hole Saw for Socket	Part No.	Part SPEC.	Unit Weight
	HS-25MM HS-28MM HS-30MM	Ø25.00 mm Ø28.00 mm Ø30.00 mm	105.00 g 113.00 g 118.00 g

Plaster Spatula	Part No.	Part SPEC.	Unit Weight
	PS-192MM	192.00 mm	26.00 g

Plaster Bowl	Part No.	Part SPEC.	Unit Weight
	PB-12063MM	Ø120.00x63.00 mm	85.00 g

TOOL PART

Wire Brush	Part No.	Part SPEC.	Unit Weight
	WB-229MM	229.00 mm	36.00 g

Plaster Scoop	Part No.	Part SPEC.	Unit Weight
	PS-250MM	250.00 mm	135.00 g

Heat Resistant Glove	Part No.	Part SPEC.	Unit Weight
	HRG-325	325.00 mm	110.00 g


Plastic Tape Measure	Part No.	Part SPEC.	Unit Weight
	TM-P150	0~1500.00 mm	41.00 g

Scoliosis Test Meter	Part No.	Part SPEC.	Unit Weight
	STM-0T30	0~30.00°	56.00 g

Pelvic Gauge	Part No.	Part SPEC.	Unit Weight
	PG-500	250.00~0 mm 0~500.00 mm	186.00 g

Heel Height Measuring Ruler	Part No.	Part SPEC.	Unit Weight
	HMR-110MM	Measuring Range 0~110.00 mm	900.00 g

Pelvis Level Device	Part No.	Part SPEC.	Unit Weight
	PLV-350-308	350.00 mm	308.00 g

Anthropometric Caliper	Part No.	Part SPEC.	Unit Weight
	AC-2566CM	250.00x660.00 mm	583.00 g

Inner Diameter Measuring Ruler	Part No.	Part SPEC.	Unit Weight
	IDMR-350MM	350.00 mm	1012.00 g

TOOL PART

Laser Level	Part No.	Part SPEC.	Unit Weight
	LL-235	195.00x140.00 mm	734.00 g

Tripod for Laser Level	Part No.	Part SPEC.	Unit Weight
	TL-680	680.00x320.00 mm	1603.00 g

Plaster Scraper	Part No.	Part SPEC.	Unit Weight
	PS-160-410	160.00x410.00 mm	648.00 g

Bending Iron Spanner	Part No.	Part SPEC.	Unit Weight
	BIS-0406 BIS-0607 BIS-0810	4.00-6.00 mm 6.00-7.00 mm 8.00-10.00 mm	556.00 g 525.00 g 496.00 g

Multi-Bending Jig	Part No.	Part SPEC.	Unit Weight
	MBJ-7-160	4.20 mm, 5.20 mm, 6.20 mm, 7.20 mm, 8.20 mm, 9.20 mm, 12.00 mm	1236.00 g

TOOL PART

Riveting Iron Bar Setter	Part No.	Part SPEC.	Unit Weight
	RB-680	680.00 mm	3612.00 g

Vacuum Tube	Part No.	Part SPEC.	Unit Weight
	VT-S32470 VT-D32470 VT-S45470 VT-D45470	32.00x470.00 mm 32.00x470.00 mm 45.00x470.00 mm 45.00x470.00 mm	879.00 g 1036.00 g 980.00 g 1410.00 g

Universal Bar Clamp	Part No.	Part SPEC.	Unit Weight
	UBC-36-5439	Ø36.00 mm	5439.00 g

Universal Bar Clamp Stand	Part No.	Part SPEC.	Unit Weight
	UBCS-77CM-26	77.00 cm	26.00 kg


Vacuum Tube Clamp Bar	Part No.	Part SPEC.	Unit Weight
	VTCB-1008CM-10	1008.00 cm	10.00 Kg

TOOL PART

Vacuum Forming Platform	Part No.	Part SPEC.	Unit Weight
	VFP-2430-3400 VFP-2930-4540	Ø24.00/H30.00 cm Ø29.00/H30.00 cm	3400.00 g 4540.00 g


Socket Forming Fixture	Part No.	Part SPEC.	Unit Weight
	SFF-27-1516 SFF-37-1864	Ø27.00 cm Ø37.00 cm	1516.00 g 1864.00 g

Socket Forming Bracket	Part No.	Part SPEC.	Unit Weight
	SFB-4831-2065	L48.00xW48.00 cm Height: 31.00 cm	2065.00 g

Orthopedic Alignment Device	Part No.	Part SPEC.	Unit Weight
	OAD-690MM-28	85X35X50 cm	27.50 kg

Heavy Duty Casting Stand	Part No.	Part SPEC.	Unit Weight
	SHCS-8090-33 DHCS-8090-34	800.00x900.00 mm 800.00x900.00 mm	33.00 kg 34.00 kg

TOOL PART

Laser Alignment Device	Part No.	Part SPEC.	Unit Weight
	LAD-6070200CM	60x70x200.00 cm	35.00 kg

Vacuum Pump	Part No.	Part SPEC.	Unit Weight
	VP-FJ280	320X280X280.00 mm Voltage: 220.00 V Frequency: 50.00 Hz V/Cap.: -0.098mpa	9.90.00 Kg

Power Grinder	Part No.	Part SPEC.	Unit Weight
	PG-220V PG-380V	220.00V or 380.00 V Frequency: 50.00 Hz Power: 2.20 Kw RPM: 2850.00	64.00 kg

Dust Collector	Part No.	Part SPEC.	Unit Weight
	DC-220V DC-380V	220.00 V or 380.00 V Frequency: 50.00 Hz Power: 0.75 Kw RPM: 2850.00	120.00 kg

/	Part No.	Part SPEC.	Unit Weight
/	/	/	/

ACCESSORIES

Metal Roller Buckle	Part No.	Part SPEC.	Unit Weight
	MRB-1526 MRB-1931 MRB-1936 MRB-2538	15.00x26.00 mm 19.00x31.00 mm 19.00x36.00 mm 25.00x38.00 mm	10.00 g 12.00 g 14.00 g 16.00 g

Buckle with Plastic Ring	Part No.	Part SPEC.	Ring Part SPEC.
	BPR-0624 BPR-0738	31.00x32.00 mm 45.00x47.00 mm	6.00x24.00 mm 7.00x38.00 mm

Buckle with Metal Ring	Part No.	Part SPEC.	Ring Part SPEC.
	BMR-0421 BMR-0926 BMR-1039	24.00x25.00 mm 31.00x33.00 mm 45.00x46.00 mm	4.00x21.00 mm 9.00x26.00 mm 10.00x39.00 mm

Hook and Loop with Buckle	Part No.	Part SPEC.	Unit Weight
	HLB-26165 HLB-40215	26.00x165.00 mm 40.00x215.00 mm	10.00 g 20.00 g

Copper Rivet	Part No.	Part SPEC.	Unit Weight
	CV-0410 CV-0413 CV-0416 CV-0420 CV-0425	Ø4.00x10.00 mm Ø4.00x13.00 mm Ø4.00x16.00 mm Ø4.00x20.00 mm Ø4.00x25.00 mm	2.10 g 2.10 g 2.30 g 2.80 g 3.40 g

Remark: T=Thickness,U=Upper, L=Lower, H=Height and D=Diameter.

ACCESSORIES

Aluminum Rivet	Part No.	Part SPEC.	Unit Weight
	AR-0413 AR-0416 AR-0420	Ø4.00x13.00 mm Ø4.00x16.00 mm Ø4.00x20.00 mm	0.60 g 0.70 g 0.80 g

Single Cap Rivet	Part No.	Part SPEC.	Unit Weight
	SCR-1008 SCR-1010 SCR-1210 SCR-1211 SCR-1212	Ø10.00x8.00 mm Ø10.00x10.00 mm Ø12.00x10.00 mm Ø12.00x11.00 mm Ø12.00x12.00mm	0.55 g 0.60 g 0.90 g 0.90 g 0.94 g

Double Cap Rivet	Part No.	Part SPEC.	Unit Weight
	DCR-1008 DCR-1010 DCR-1212	Ø10.00x8.00 mm Ø10.00x10.00 mm Ø12.00x12.00 mm	0.46 g 0.52 g 1.25 g

Washer Head Machine Screw	Part No.	Part SPEC.	Unit Weight
	WHS-M408	M4.00x8.00 mm	1.12 g

Double Side Loop Strap	Part No.	Part SPEC.	Unit Weight
	DLS-W25 DLS-W38	25.00 or 38.00 mm (25.00 meters/roll)	492.00 g 656.00 g

Remark: T=Thickness,U=Upper, L=Lower, H=Height and D=Diameter.

ACCESSORIES

Hook Strap	Part No.	Part SPEC.	Unit Weight
	HS-W25 HS-W38	25.00 or 38.00 mm (25.00 meters/roll)	229.00 g 335.00 g

Loop Strap	Part No.	Part SPEC.	Unit Weight
	LS-W25 LS-W38	25.00 or 38.00 mm (25.00 meters/roll)	247.00 g 354.00 g

Adhesive Hook Strap	Part No.	Part SPEC.	Unit Weight
	AHS-W25 AHS-W38	25.00 or 38.00 mm (25.00 meters/roll)	394.00 g 608.00 g

/	Part No.	Part SPEC.	Unit Weight
/	/	/	/

/	Part No.	Part SPEC.	Unit Weight
/	/	/	/

Remark: T=Thickness,U=Upper, L=Lower, H=Height and D=Diameter.



More Parts
Making Us Easier Afford it!

Thanks!

and

It's not finished...
More parts and service
will be coming soon!...

Master Catalog 2026

Ningbo Dacheng Medical Instrument Co., Ltd.

Ninghai SNH Trading Co., Ltd.

*No.1, BL.12, Tanxiang South Road,
Yuelong District, Ninghai County,
Ningbo, Zhejiang Province, China*

Tel: +86 574-6705-1416

Fax: +86 574-6530-5129

info@dachengmed.com

www.dachengmed.com